

Work Order ID 149836

Wednesday, August 03, 2016 1:37:19 PM

149836

Page 1

Item ID: D2933-1PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle LH In, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: **DAS 21 9-89** Date: **AUG 04 2016** Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2932	Rev C								
100	HAAS CNC VERTICAL MACHINING #1	0.05				6	0		DAS 14 9-89 16/08/21
100									
HAAS 1	Memo	0.85							
HAAS CNC vertical machine #1	Program part number and batch number.								
	1-Inspect part number and batch number are programmed correctly.								
	2-Machine Step No 1 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet								
	3-Machine Step No 2 of Folio and visually inspect as per								
110	CONVENTIONAL MILLING MACHINE	0.00				6	0		DAS 14 9-89 16/08/21
110									
Mill Conv	Memo	0.08							
Conventional Milling Machine	Machine Keyway and inspect per attached dimension sheet								

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 149836

Wednesday, August 03, 2016 1:37:19 PM

149836

Page 2

Item ID: D2933-1PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle LH In, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC1- Inspection performed by CMM Memo	0.00 0.00				<u>6</u>	<u>0</u>		DAS 14 9-89 16/08/21
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.02				<u>6</u>			SL 16-8-23
140 *140* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.05				<u>6</u>			2016/08/24 BEB

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			

Work Order ID 149836

Wednesday, August 03, 2016 1:37:19 PM

149836

Page 3

Item ID: D2933-1PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle LH In, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150		0.00							
150 SprayPaint Spray Painting	Memo 1- PRIME INSIDE AND OUT AS PER DWG AND QSI 005 4.2.1.3.3 PRIMER PRC DESOTO 515X349 BATCH: <u>135929</u> 2- PAINT BLACK AS PER DWG AND QSI 005 4.2.2 USING CA8213/F3738 CAMOFLAGE BLACK PAINT BATCH: <u>135300</u>	0.00				<u>6</u>			<u>16-12-12</u>
160	QC14- Inspect Spray Paint	0.00							
160 QC Quality Control	Memo	0.01				<u>6</u>			<u>DAS 38 9-89</u> DEC 13 2016
170	Identify as per dwg & Stock Location: <u>51405</u>	0.00							
170 Packaging Packaging	Memo	0.01				<u>6</u>			<u>DAS 6 9-89</u> DEC 13 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			

Work Order ID 149836

Wednesday, August 03, 2016 1:37:19 PM

149836

Page 4

Item ID: D2933-1PHI Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle LH In, 206
Start Date: 7/22/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 8/3/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00					DAS 21 8-39		
180									
QC	Memo	0.10							
Quality Control									



DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Picklist Print

Wednesday, August 03, 2016 1:37:19 PM

Page 1

Work Order ID: 149836

149836

Parent Item: D2933-1PHI

D2933-1PHI

Parent Item Name: Saddle LH In, 206

Start Date: 7/22/2016

Required Date: 8/3/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP: B00.06.26New DWG rev, (mpp 2069)EC
IPP Rev:C As per Rev C 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-003		Manufactured	No			100	Each	66.0000	1	6			

D6101-003

Saddle Billet, 7075

D6101-001

Jul 16.08.22

Location	Loc Qty	Loc Code
MAT040	15	
145263	15	
MAT046	51	
142007	1	
146890	20	
147659	30	

DAS
14
9-89

145262 → 6

NOT REMOVE

16/08/20

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

DART AEROSPACE LTD		Work Order: 149836
Description: 206 Saddle, Inboard, Left side		Part Number: D2933-1
Inspection Dwg: D2933	Rev: C	DSK: Rev: Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

☒ First Article ☐ Prototype

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
A	0.100	0.140		.117	.117	.117	.117	.117
B	0.100	0.140		.117	.117	.117	.117	.117
C	0.100	0.140		.115	.109	.118	.117	.117
D	0.210	0.230		.215	.222	.223	.222	.221
E	1.245	1.255		1.250	1.250	1.250	1.250	1.250
F	1.245	1.255		1.250	1.250	1.250	1.250	1.250
G	2.495	2.505		2.500	2.500	2.500	2.500	2.500
H	0.510	0.515		.514	.514	.514	.514	.514
I	1.572	1.582		1.577	1.577	1.577	1.577	1.577
J	2.495	2.505		2.500	2.500	2.500	2.500	2.500
K	0.257	0.262		.260	.260	.260	.260	.260
L	0.312	0.317		.316	.316	.316	.316	.316
M	0.235	0.240		.238	.236	.237	.236	.237
N	0.100	0.140		.107	.119	.119	.119	.119
O	0.540	0.560		.542	.550	.550	.550	.550
P	0.490	0.510		.500	.501	.500	.500	.500
Q	3.715	3.725		3.720	3.720	3.720	3.720	3.720
R	2.470	2.510		2.490	2.490	2.490	2.490	2.490
S	0.240	0.270		.244	.253	.254	.254	.254
T	0.100	0.180		.130	.140	.140	.140	.140
U	1.625	1.635		1.630	1.630	1.630	1.630	1.630
V	1.362	1.372		1.367	1.367	1.367	1.367	1.367
W	0.316	0.321		.316	.316	.317	.316	.316
X	1.125	1.145		1.135	1.136	1.136	1.135	1.135
Y	1.565	1.585		1.571	1.574	1.574	1.575	1.575
Z	0.178	0.198		.188	.188	.188	.188	.188
AA								
AB								
AC								
AD								
AE								

Accept/Reject

Measured by: 14 9-89	Date: 16/08/20
Audited by: JL	Date: 16-8-23
Prototype Approval: N/A	Date: N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	06.10.03	Removed DT8683, DT8686 & DT8690	KJ/JLM	
D	07.03.21	Revised per drawing revision C	KJ/JLM	
E	08.01.16	DT8695 A/B removed from dimension Y	KJ/EC/DD	

DART AEROSPACE LTD		Work Order: 149836
Description: 206 Saddle, Inboard, Left side		Part Number: D2933-1
Inspection Dwg: D2933	Rev: C	DSK: Rev: Page 1 of 1


FIRST ARTICLE INSPECTION DIMENSION SHEET

☒ First Article ☐ Prototype

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1	2	3	4	5
A	0.100	0.140		.116				
B	0.100	0.140		.115				
C	0.100	0.140		.117				
D	0.210	0.230		.222				
E	1.245	1.255		1.250				
F	1.245	1.255		1.250				
G	2.495	2.505		2.500				
H	0.510	0.515		.514				
I	1.572	1.582		1.577				
J	2.495	2.505		2.500				
K	0.257	0.262		.260				
L	0.312	0.317		.316				
M	0.235	0.240		.237				
N	0.100	0.140		.119				
O	0.540	0.560		.548				
P	0.490	0.510		.500				
Q	3.715	3.725		3.720				
R	2.470	2.510		2.490				
S	0.240	0.270		.254				
T	0.100	0.180		.140				
U	1.625	1.635		1.630				
V	1.362	1.372		1.367				
W	0.316	0.321		.316				
X	1.125	1.145		1.135				
Y	1.565	1.585		1.575				
Z	0.178	0.198		.188				
AA								
AB								
AC								
AD								
AE								
Accept/Reject								

Measured by: 14	Date:
Audited by: 9-89 16/08/20 SL	Date: 16-8-23
Prototype Approval: N/A	Date: N/A



Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	06.10.03	Removed DT8683, DT8686 & DT8690	KJ/JLM	
D	07.03.21	Revised per drawing revision C	KJ/JLM	
E	08.01.16	DT8695 A/B removed from dimension Y	KJ/EC/DD	




D2933-1 LH SADDLE (SHOWN)
D2933-2 RH SADDLE (OPPOSITE)

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
 (MAKE FROM D6101-001 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP



SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 149836 MCT
 16-08-04




C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.10.29	NEW ISSUE
DESIGN	4	DRAWN BY CB
CHECKED	PH	APPROVED
DATE	06.11.09	TITLE SADDLE INSIDE
DRAWING NO.	D2933	REV. C
		SHEET 1 OF 1
		SCALE 2:3

COPYRIGHT © 1990 BY DART AEROSPACE USA, INC.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
 AND IS SUPPLIED ON THE EXPRESS CONDITION
 THAT IT IS NOT TO BE USED FOR ANY PURPOSE
 OR COPIED OR COMMUNICATED TO ANY OTHER
 PERSON WITHOUT WRITTEN PERMISSION FROM
 DART AEROSPACE USA, INC.

DART DART AEROSPACE USA, INC.
 BELLEVUE, WA



D2933-1 LH SADDLE (SHOWN)
~~D2933-2 RH SADDLE (OPPOSITE)~~

- NOTES:**
- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
(MAKE FROM D6101-001 SADDLE BILLET, 7075)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
 - 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP



SECTION B-B

